

L Number	Hits	Search Text	DB	Time stamp
1	10778	((search\$3 or quer\$4).ab. and (@ad<20010104))	USPAT; US-PGPUB; IBM_TDB	2003/04/07 09:33
5	116	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5)).ab.	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:07
9	2	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5)).ab.) and ((appl\$5 or add\$3) with (user or client or employee\$3) with (profile or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:07
13	5	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5)) and ((appl\$5 or add\$3) with (user or client or employee\$3) with (profile or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request) same (modif\$5 with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request))	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:13
25	32	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5)) and ((appl\$5 or add\$3) with (user or client or employee\$3) with (profile or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:02
29	42	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((appl\$5 or add\$3) with (user or client or employee\$3) with (profile or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:06
33	10	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((appl\$5 or add\$3) with (user or client or employee\$3) with (profile or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)) not (((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5)) and ((appl\$5 or add\$3) with (user or client or employee\$3) with (profile or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request))	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:11
37	1	6366915.pn.	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:11
45	123	((search\$3 or quer\$4).ab. and (@ad<20010104)) and (modif\$5 with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:24
41	14	((search\$3 or quer\$4).ab. and (@ad<20010104)) and (modif\$5 with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request).ab.	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:33
49	104	((search\$3 or quer\$4).ab. and (@ad<20010104)) and (modif\$5 with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request) and ((user or client) with (profile or record or information))	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:36

53	27	((search\$3 or quer\$4).ab. and (@ad<20010104)) and (modif\$5 with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request) and ((add\$3 or appl\$5) with (user or client) with (profile or record or information))	USPAT; US-PGPUB; IBM_TDB	2003/04/07 10:38
65	2	(meta with (search\$3 or engine)).ab. and (@ad<20010104) and ((appl\$5 or add\$3) with (user or client or employe\$3) with (profile or record or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:02
69	4	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5)).ab.) and ((appl\$5 or add\$3) with (user or client or employe\$3 or search\$3) with (profile or record or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:11
73	7	((search\$3 or quer\$4).ab. and (@ad<20010104)) and ((control\$5 or limit\$3 or restrict\$3) with (user or client) with (search\$3 or quer\$5 or access\$3)) and (((appl\$5 or add\$3) with (user or client or employe\$3 or search\$3) with (profile or record or histroy or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request) same (modif\$5 with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request))	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:19
77	214	((appl\$5 or add\$3) with (user or client or employe\$3 or search\$3) with (profile or record or histroy or information) with (search\$3 or quer\$5 or retriev\$5 or access\$3) with request) and (@ad<20010104)	USPAT; US-PGPUB; IBM_TDB	2003/04/07 11:22